REVISION DATE: 14/08/2009

# CONTACT 0800 990 3258 enquiries@reagent.co.uk

# ReAgent

# SODIUM HYPOCHLORITE TECH MSDS

According to Regulation (EC) No 1907/2006

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	SODIUM HYPOCHLORITE TECH
SUPPLIER	Reagent Chemical Services 18 Aston Fields Road Whitehouse Industrial Estate Runcorn Cheshire WA7 3DL T: 01928 716903 F: 01928 716425 E: info@reagent.co.uk
PRODUCT NO.	2604
APPLICATION	General chemical reagent
EMERGENCY TELEPHONE	Emergency Telephone : +44 (0) 1928 716903 Between 08.30 - 17.00

#### **2 HAZARDS IDENTIFICATION**

Contact with acids liberates toxic gas. Causes burns. CLASSIFICATION (1999/45) C;R34. R31.

#### **3 COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No.	CAS-No.	Content	Classification (67/548)
SODIUM HYPOCHLORITE SOLUTION, % CI ACTIVE	231-668-3	7681-52-9	10-30%	C;R34 R31 N;R50

The Full Text for all R-Phrases are Displayed in Section 16

#### **4 FIRST-AID MEASURES**

#### GENERAL INFORMATION

CAUTION! First aid personnel must be aware of own risk during rescue! First aid personnel must protect themselves with all necessary personal protective equipment during the assistance of casualties. When breathing is difficult, properly trained personnel may assist the casualty by administering oxygen. If casualty needs to be resuscitated avoid mouth to mouth contact, use a mechanical device such as a bag and mask to provide artificial respiration. Place unconscious person on the side in the recovery position and ensure breathing can take place. Do not give victim anything to drink if they are unconscious. If medical attention is required take this information sheet with the casualty.

#### INHALATION

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. In case of severe exposure or if any discomfort continues get medical attention.

#### INGESTION

Do not induce vomiting. Immediately rinse mouth and drink plenty of water. Get medical attention immediately!

#### SKIN CONTACT

Immediately remove contaminated clothing and wash before re-use. Rinse the skin immediately with lots of water. Unless contact has been slight and no discomfort is felt, obtain medical attention.

#### EYE CONTACT

May cause permanent damage if eye is not immediately irrigated. Promptly wash eyes with plenty of water or eye wash solution while lifting the eyelids. If possible remove any contact lenses and continue to wash. Get medical attention immediately.

#### **5 FIRE-FIGHTING MEASURES**

EXTINGUISHING MEDIA The product is non-combustible. Water spray. SPECIFIC HAZARDS In case of fire, toxic and corrosive gases may be formed. Chlorine compounds. PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## SODIUM HYPOCHLORITE TECH

### **6 ACCIDENTAL RELEASE MEASURES**

#### PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

SPILL CLEAN UP METHODS

If local regulations allow run to drain with copious amounts of water. Otherwise Small Spillages: Absorb with sand or other inert absorbent. Large Spillages: Dam and absorb spillages with sand, earth or other inert material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Wash spillage site well with water and detergent, be aware of the potential for surfaces to become slippery. Ventilate well.

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Avoid inhalation of vapours and spray mists.

STORAGE PRECAUTIONS

Store away from: Acids. Store in vented, original containers in a cool, dry place. Store away from direct sunlight and moisture

STORAGE CLASS

Corrosive storage.

#### **8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

Name	Std	TWA	- 8 hrs	STEL	- 15 min	Notes
SODIUM HYPOCHLORITE SOLUTION, % CI ACTIVE	OES		1.5 (Chlorine) mg/m3		2.9 (Chlorine) mg/m3	

#### ENGINEERING MEASURES

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined workplace exposure limit (WEL) is not exceeded. If vapours or mists are generated, work in a fume cupboard.

#### RESPIRATORY EQUIPMENT

Wear suitable respiratory protection if vapours or mists are generated. Consult with the supplier as to the compatibility of the equipment with the chemical of concern.

#### HAND PROTECTION

Use full length gloves. Rubber or plastic Be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. EYE PROTECTION

Wear approved safety goggles.

#### OTHER PROTECTION

Wear suitable protective clothing as protection against splashing or contamination. Provide eyewash station and safety shower. Wear plastic apron and full length gloves if handling large amounts. If there is a risk of splashing then wear a face shield.

#### HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes wet or contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE	Liquid		
COLOUR	Colourless to pale yellow		
ODOUR	Chlorine.		
SOLUBILITY	Miscible with water		
BOILING POINT (°C) VAPOUR DENSITY (air=1)	Approx. 96 - 99 760 mm Hg 2.49	RELATIVE DENSITY	Approx. 1.2 20

# **10 STABILITY AND REACTIVITY**

STABILITY Limited storage life. CONDITIONS TO AVOID Avoid heat. Avoid contact with acids. MATERIALS TO AVOID Acids (liberation of chlorine). Amines. Alcohols, glycols. Organic nitrites. Inorganic nitrites. Strong oxidising substances. HAZARDOUS DECOMPOSITION PRODUCTS Chlorine.

# SODIUM HYPOCHLORITE TECH

# **11 TOXICOLOGICAL INFORMATION**

TOXIC DOSE 1 - LD 50

8200 mg/kg (oral rat)

#### INHALATION

Irritating to respiratory system. May cause oedemas in the respiratory tract.

#### INGESTION

Corrosive. Even small amounts may cause serious damage. May cause burns to the oesophagus and stomach. Toxic if swallowed.

SKIN CONTACT Causes burns.

# EYE CONTACT

Strongly corrosive. Causes severe burns and serious eye damage. Immediate first aid is imperative.

# **12 ECOLOGICAL INFORMATION**

#### ECOTOXICITY

Ecological effects cannot be excluded in the event of improper handling or disposal. May cause long-term adverse effects in the aquatic environment.

# DEGRADABILITY

Readily degradable in water

#### **13 DISPOSAL CONSIDERATIONS**

#### **DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

# **14 TRANSPORT INFORMATION**



UK ROAD CLASS	8		
PROPER SHIPPING NAME	SODIUM HYPOCHLO	DRITE SOLUTION	
UN NO. ROAD	1791	UK ROAD PACK GR.	П
ADR CLASS NO.	8	ADR CLASS	Class 8: Corrosive substances.
ADR PACK GROUP	II	ADR LABEL NO.	8
RID CLASS NO.	8	RID PACK GROUP	Ш
UN NO. SEA	1791	IMDG CLASS	8
MARINE POLLUTANT	No.	UN NO. AIR	1791
AIR CLASS	8	AIR PACK GR.	II

# **15 REGULATORY INFORMATION**

#### LABELLING



	Contosive			
CONTAINS	SODIUM HYI	SODIUM HYPOCHLORITE SOLUTION, % CI ACTIVE		
RISK PHRASES				
	R31	Contact with acids liberates toxic gas.		
	R34	Causes burns.		
SAFETY PHRASES				
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
	S45	In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).		

REVISION DATE: 14/08/2009

# SODIUM HYPOCHLORITE TECH

S24/25	Avoid contact with skin and eyes.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S60	This material and its container must be disposed of as hazardous waste.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply. COSHH essentials: Easy steps to control chemicals. Control of Substances Hazardous to Health Regulations.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37.

NATIONAL REGULATIONS

Control of Substances Hazardous to Health Regulations 2002 (as amended)

#### **16 OTHER INFORMATION**

GENERAL INFORMATION	
Under REACH Material Safety	y Datasheets (MSDS) are referred to as Safety Datasheets (SDS)
REVISION COMMENTS	
This is first issue.	
REVISION DATE	14/08/2009
REV. NO./REPL. SDS GENE	RATED 1
SDS NO.	11499
SAFETY DATA SHEET STAT	TUS .
Approved.	
RISK PHRASES IN FULL	
R34	Causes burns.
R31	Contact with acids liberates toxic gas.
R50	Very toxic to aquatic organisms.