PHOBI F&F

INSECTICIDE FOR PROFESSIONAL USE AGAINST COCKROACHES, FLEAS, FLIES, BEDBUGS, MOTHS, MOSQUITOS, GNATS AND OTHER CRAWLING AND FLYING INSECTS SUCH AS STORED PRODUCT PESTS INCLUDING CONFUSED FLOUR BEETLES AND BISCUIT BEETLES. FOR USE IN ENCLOSED INDOOR SITUATIONS, DOMESTIC PREMISES, FOOD PREPARATION PREMISES, BUILDING TRADES, KITCHENS AND BAKERIES.

APPLICATION RATE: ACTIVATE THE AEROSOL WITH A QUARTER TURN TWIST CLOCKWISE UNTIL IT LOCKS. ENSURE YOU LEAVE THE AREA OF APPLICATION IMMEDIATELY AND CLOSE ANY DOORS / WINDOWS ETC BEHIND YOU. FOR BEST CONTROL OF PESTS LEAVE THE TREATED AREA FOR AT LEAST 2 HOURS BEFORE RE-ENTERING. THOROUGHLY VENTILATE THE TREATED ROOM BEFORE ENTERING (BETWEEN 2 HOURS TO HALF A DAY, DEPENDING ON THE POSSIBLE VENTILATION LEVEL).

INSTRUCTIONS FOR USE: PHOBI F&F IS A ONE-SHOT AEROSOL. ONCE ACTIVATED, THE AEROSOL WILL EMPTY ENTIRELY. RESPECT THE INSTRUCTIONS FOR USE AS FOLLOWS: EVACUATE PEOPLE, ANIMALS, PETS (INCLUDING TERRARIUMS AND AQUARIUMS). REMOVE ANY FOODSTUFFS AND TIGHTLY CLOSE DOORS AND WINDOWS. ONCE THE AEROSOL IS ACTIVATED PLACE ON A NON-SENSITIVE SURFACE, IMMEDIATELY LEAVE THE PREMISES AND ALLOW THE PRODUCT AT LEAST 2 HOURS TO ACT AND CONTROL THE PESTS, VENTILATE THE TREATED ROOM THOROUGHLY BEFORE ENTERING. INSECTS ARE KNOCKED-DOWN INSTANTANEOUSLY

PRECAUTIONS: *FOR INDOOR USE ONLY. *THE COSHH (CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH) REGULATIONS 2002 (AS AMENDED) APPLY TO THE USE OF THIS PRODUCT AT WORK. *AVOID EXCESSIVE CONTAMINATION OF COVERALLS. *DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. *THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY. *WASH HANDS AND EXPOSED SKIN BEFORE MEALS AND AFTER USE. *KEEP IN A SAFE PLACE. *EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. *UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY. *COVER ALL WATER STORAGE TANKS BEFORE APPLICATION. *HAZARDOUS TO BEES. *VENTILATE THE TREATED AREA THOROUGHLY WHEN THE MIST HAS CLEARED.

405

300ml <u>C</u>



Treated volume: 375m³

Efficacy: 100%



FOR THE CONTROL OF CRAWLING & FLYING INSECTS

FOR PROFESSIONAL USE ONLY

300ml



WARNING

Active substances: Imiprothrin (CAS No 72963-72-5) 0.11% w/w Cyphenothrin (CAS No 39515-40-7) 0.33% w/w

H223 - Flammable aerosol.
H229 - Pressurised container: May burst if heated. H410 - Very toxic to aquatic life with long lasting

nearu - very toxic to aquatic line with long lasting effects.

Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No emoking, Do not spare you an open flame of their control of the children of the children of their control of their body cold-blooded and warm-blooded food of the area body cold-blooded and warm-blooded food of the being treated. Gas contains fluorinated greenhouse gases: HFC-134a:0,240 kg; 0,343 t Eq.CO2; GWP=1430

STATUTORY CONDITIONS OF APPROVAL RELATING

FOR USE ONLY BY PROFESSIONAL OPERATORS. FOR USE ONLY AS AN INSECTIODE ACTIVATE THE ACROSOL WITH A OLIAPTER TURN TWIST CLOCKWISE UNTIL IT LOCKS. ENSURE YOU LEAVE THE AFRA OF APPLICATION IMMEDIATELY AND CLOSE ANY DOORS AWINDOWS ETC BEHIND YOU. FOR BEST CONTRIOL OF PESTS LEAVE THE TREATED AREA FOR AT LEAST 2 HOURS BEFORE REENTERING. THOROUGHLY VENTILATE THE TREATED BOOM BEFORE ENTERING GETWEEN P. HOURS TO HALF A DAY, DEPENDING ON THE POSSIBLE VENTILATION 15VFL.

To avoid risks to man and the environment, comply with the instructions for use.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

HSE No 10192 READ ALL PRECAUTION BEFORE USE

TO AVOID RISK TO MAN AND THE ENVIRONMENT, COMPLY WITH THE INSTRUCTION FOR USE.

Batch number and expiry date: see packaging

Marketed by LODI UK Ltd Building 69, Third Avenue, Pensett Trading Estate, Kingswinford,

West Midlands DY6 7FD Tel: 01384 404242 sales@lodi-uk.com www.lodi-uk.com