



UK ANIMAL HEALTH
PRODUCT CATALOGUE

2024/2025



www.chanellepharma.com

Chanelle Pharma UK

At Chanelle we pride ourselves in the specialised development, production, marketing and distribution of high quality generic Animal Pharmaceutical products.

Please find below our specialised team of experts who are available to answer any queries you may have.

Abi Donald

Head of UK

+44 7725 594 160

abus@chanellegroup.ie



Jonny Doyle

National Sales Manager

+44 7584 021 014

jdoyle@chanellegroup.ie



Jonathan Moore

Veterinary Technical Services Manager

+44 7918 298 722

jmoore@chanellegroup.ie



Business Development Managers

Jonathan Reay

North

+44 7526 824 063

jreay@chanellegroup.ie




Katryn Weston

Wales & Central

+44 7469 852 311

kweston@chanellegroup.ie



Matthew Oakes

West

+44 7912 180989

moakes@chanellegroup.ie




Lizzie Piggott

East

+44 7584 353 063

lpiggott@chanellegroup.ie



UK Strategic Accounts Team

The Chanelle Pharma UK Strategic Accounts Team partners with key industry players, including veterinary corporates, wholesalers, charities, pet retailers, and online platforms.

Sally Scott

Head of National Accounts

+44 7384 258 350 | sscott@chanellegroup.ie



The team is proud to offer solutions across the Chanelle Pharma branded product range and specialise in launching custom own-brand concepts.

Focused on strategic collaboration, the team provide unparalleled support throughout every project.

Sophie Edwards

National Key Account Manager

+44 7469 724 083
sedwards@chanellegroup.ie



Liz Sanderson

National Key Account Manager

+44 7789 669 884
lsanderson@chanellegroup.ie



Zoe Bricklebank

National Key Account Manager

+44 7442 287 356
zbricklebank@chanellegroup.ie



For all general queries please contact ukenquiries@chanellegroup.ie

Contents

THIS IS A CLICKABLE PDF

CLICK TO JUMP TO YOUR CHOSEN PRODUCT

Large Animal Range

Anticoccidial	6
Anthelmintics	6
Nutritional	13
Antibiotics	14
Sedatives	15
Non-Steroidal Anti-Inflammatory (NSAID)	16

Equine Range

Anthelmintics	18
Anaesthetics and Sedatives	18
Non-Steroidal Anti-Inflammatory (NSAID)	20

Companion Animal Range

Anaesthetics and Sedatives	23
Anti-Epileptic Drug	25
Antibiotics	26
Anti-Nausea	26
Osteoarthritis	27
Non-Steroidal Anti-Inflammatory (NSAID)	27
Ectoparasiticides & Anthelmintics	29


Equipment

Dosing	33
Pour on Gun	33
Drenchers	34

Prescription decisions are for the person issuing the prescription alone.

Refer to product packaging and leaflets for full indications, side effects, precautions, warnings and contra-indications.
Further information can be found on the datasheet or product SPC.

LARGE ANIMAL RANGE



Large Animal Range

ANTICOCCIDIAL

Dycozan® Oral



Active	Diclazuril 0.25% w/v
Species	Calves & Lambs
Description	Oral suspension for the prevention of clinical signs of coccidiosis and reduction of oocyst shedding.
Meat Withdrawal Period	0 days
Milk Withdrawal Period	Not applicable
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	POM-VPS
Dosage	4 ml/10 kg



ANTHELMINTICS

Animec® Injection



Active	Ivermectin 1.0% w/v
Species	Cattle, Sheep & Pigs
Description	Cattle: Treats & controls gastro-intestinal roundworms, lungworms, eye worms, warbles, mange mites & lice. Sheep: Scab, gastrointestinal roundworms, lungworms, nasal bots, mange mites. Pigs: Treats & controls gastro-intestinal roundworms, lungworms, mange mites & lice.
Meat Withdrawal Period	Cattle: 49 days. Sheep: 25 days. Pigs: 28 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption or in dairy heifers within 60 days prior to calving. Do not use in lactating sheep producing milk for human consumption. Do not use in sheep within 60 days of lambing where milk is to be used for human consumption.
Pack Sizes	500 ml
Legal Category	POM-VPS
Dosage Rate	Cattle: 1 ml/50 kg. Sheep: 1ml/50kg. Pigs: 1 ml/33 kg



Animec® Super Injection



Active	Ivermectin 1.0% w/v Clorsulon 10% w/v
Species	Cattle
Description	Is a broad-spectrum injectable endectocide. Treats mixed infestations of adult liver fluke, gastrointestinal roundworms, lungworms, eyeworms, mites & lice.
Meat Withdrawal Period	66 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption or dairy heifers within 60 days prior to calving.
Pack Sizes	250 ml, 500 ml
Legal Category	POM-VPS
Dosage Rate	1 ml/50 kg



Large Animal Range

ANTHELMINTICS

Animec® Pour-on



Active	Ivermectin 0.5% w/v
Species	Cattle
Description	Treats & controls gastro-intestinal roundworms, lungworms, eye worms, warbles, mange mites & lice.
Meat Withdrawal Period	Cattle: 28 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption or dairy heifers within 60 days prior to calving.
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	10ml/100kg



Animec® Oral



Active	Ivermectin 0.08% w/v
Species	Sheep
Description	Treats and controls 'gastro-intestinal' roundworms, lungworms and nasal bots.
Meat Withdrawal Period	10 days
Milk Withdrawal Period	Sheep must not be treated within 60 days prior to the commencement of lactation, if milk is to be used for human consumption
Pack Sizes	2.5 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	2.5ml/10kg



Albex® 2.5% SC Oral



Active	Albendazole 2.5% w/v
Species	Cattle & Sheep
Description	Is a broad spectrum multi-purpose oral anthelmintic suspension. Treats & controls mature & developing immature forms of gastro-intestinal roundworms, lungworms, tapeworms and adult liver fluke. Ovicidal against fluke and roundworm eggs. Contains supplementary cobalt and selenium.
Meat Withdrawal Period	Cattle: 14 days. Sheep: 5 days
Milk Withdrawal Period	Cattle: 60 hours
Pack Sizes	1 litre, 2.5 litre, 10 litre,
Legal Category	POM-VPS
Dosage Rate	Sheep: Worm: 2ml/10kg Sheep: Fluke & worm: 3ml/10kg Cattle: Worm: 30ml/100kg Cattle: Fluke & worm: 40ml/100kg



Large Animal Range

ANTHELMINTICS

Albex® 10% Oral



Active	Albendazole 10% w/v
Species	Cattle & Sheep
Description	Is a broad spectrum multi-purpose oral anthelmintic suspension. Treats & controls mature & developing immature forms of gastro-intestinal roundworms, lungworms, tapeworms & adult liver fluke. Ovicidal against fluke & roundworm eggs.
Meat Withdrawal Period	Cattle: 14 days. Sheep: 5 days
Milk Withdrawal Period	Cattle 60 hours
Pack Sizes	1 litre, 2.5 litre, 5 litre, 10 litre
Legal Category	POM-VPS
Dosage Rate	Sheep: Worm: 0.5ml/10kg Sheep: Fluke & worm: 0.75ml/10kg Cattle: Worm: 3.75ml/50 kg Cattle: Fluke & worm: 5ml/50kg



Bovex® Drench



Active	Oxfendazole 2.265% w/v
Species	Cattle & Sheep
Description	A broad spectrum worm drench for cattle and sheep for the control of control of mature and immature gastro-intestinal roundworms, lungworms & tapeworms. This product is also ovicidal against roundworm eggs.
Meat Withdrawal Period	Cattle: 19 days, Sheep: 24 days
Milk Withdrawal Period	Cattle: 84 hours Sheep: Do not use in animals producing milk for human consumption.
Pack Sizes	5 litre, 10 litre
Legal Category	POM-VPS
Dosage Rate	Cattle: 20ml/100kg, Sheep: 2ml/9kg



Chanaverm® 7.5% Oral



Active	Levamisole Hydrochloride 7.5% w/v
Species	Cattle & Sheep
Description	Oral solution used for the treatment and control of gastro-intestinal and pulmonary roundworm infections in cattle and sheep.
Meat Withdrawal Period	Cattle: 20 days. Sheep: 20 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	2.5 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	Cattle: 10ml/100kg, Sheep: 1ml/10kg



Large Animal Range

ANTHELMINTICS

Doramax® Pour-On



Active	Doramectin 0.5%w/v
Species	Cattle
Description	For treatment of infestations of gastrointestinal roundworms, lungworms, eyeworms, warbles, sucking and biting lice, mange mites and hornfly in cattle.
Meat Withdrawal Period	Cattle: 35 days
Milk Withdrawal Period	Do not use in pregnant cows or heifers, which are intended to produce milk for human consumption, within 2 months of expected calving.
Pack Sizes	1 litre, 3 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	Cattle: 10ml/100kg



Epromec® Pour On



Active	Eprinomectin 0.5% w/v
Species	Cattle
Description	Pour on solution used to treat roundworms, lungworms, warbles, mange mites, lice and horn flies in beef and dairy cattle.
Meat Withdrawal Period	15 days
Milk Withdrawal Period	Zero hours
Pack Sizes	1 litre, 3 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	10m/100kg



Moxodex® Pour On



Active	Moxidectin 0.5% w/v
Species	Cattle
Description	Pour On solution which treats and prevents roundworms, lungworm, mites, warbles, lice and hornflies.
Meat Withdrawal Period	14 days
Milk Withdrawal Period	6 days
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	10ml/100kg



Large Animal Range

ANTHELMINTICS

Moxodex® Oral



Active	Moxidectin 0.1% w/v
Species	Sheep
Description	Oral solution which treats and prevents 'gastro-intestinal' roundworms and lungworms in sheep
Meat Withdrawal Period	14 days
Milk Withdrawal Period	5 days
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	2ml/10kg



Rumenil® Oral



Active	Oxyclozanide 3.4% w/v
Species	Cattle
Description	Oral suspension which treats and controls adult liver fluke and tapeworm in cattle.
Meat Withdrawal Period	13 Days
Milk Withdrawal Period	108 hours (4.5 days)
Dosage	3ml/10kg up to 350kg. >350kg = 105ml dose
Pack Sizes	5 litre
Legal Category	POM-VPS



Tribamec Duo® Oral



Active	Ivermectin 0.1% w/v and Triclabendazole 5% w/v
Species	Sheep
Description	A combination worm and liver fluke oral drench, indicated for the treatment of mixed trematode (fluke) and nematode or arthropod infections due to gastrointestinal roundworms, lungworms, liver fluke and nasal bots.
Meat Withdrawal Period	27 days
Milk Withdrawal Period	Not authorised for use in ewes producing milk for human consumption including during the dry period. Do not use within 1 year prior to the first lambing in ewes intended to produce milk for human consumption.
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	2 ml/10 kg



Large Animal Range

ANTHELMINTICS

Tribex® 5% Oral



Active	Triclabendazole 5% w/v
Species	Sheep
Description	Oral suspension which treats acute, subacute & chronic fascioliasis caused by early immature, immature and adult stages of liver fluke.
Meat Withdrawal Period	56 days
Milk Withdrawal Period	Not authorised for use in ewes producing milk for human consumption including during the dry period. Do not use within 1 year prior to the first lambing in ewes intended to produce milk for human consumption.
Dosage	2ml/10kg
Pack Sizes	2.2 litre, 5 litre
Legal Category	POM-VPS



Tribex® 10% Oral



Active	Triclabendazole 10% w/v
Species	Cattle
Description	Oral suspension which treats acute, subacute & chronic fascioliasis caused by early immature, immature and adult stages of liver fluke.
Meat Withdrawal Period	56 days
Milk Withdrawal Period	This product is not permitted for use during lactation in animals producing milk for human consumption. When used in non-lactating cattle: Milk for human consumption may only be taken from 84 hours after calving. Not intended for use within 41 days of calving. If calving occurs before 41 days after treatment, milk for human consumption may only be taken after 41 days plus 84 hours after the treatment.
Pack Sizes	2.2 litre, 5 litre
Legal Category	POM-VPS
Dosage Rate	12ml/100kg



Large Animal Range

ANTHELMINTICS

Zerofen® 2.5% Oral



Active	Fenbendazole 2.5% w/v
Species	Cattle & Sheep
Description	Oral suspension which controls mature & developing immature forms of roundworm & lungworms.
Meat Withdrawal Period	Cattle: 14 days. Sheep: 21 days
Milk Withdrawal Period	Cattle: 132 hours Sheep: do not use in sheep producing milk for human consumption.
Pack Sizes	1 litre, 2.5 litre, 10 litre
Legal Category	POM-VPS
Dosage Rate	Cattle: 30ml/100kg, Sheep: 2ml/10kg



Zerofen® 10% Oral



Active	Fenbendazole 10% w/v
Species	Cattle & Sheep
Description	Oral suspension which controls mature & developing immature forms of roundworm & lungworms.
Meat Withdrawal Period	Cattle: 14 days. Sheep: 21 days
Milk Withdrawal Period	Cattle: 132 hours Sheep: do not use in sheep producing milk for human consumption.
Pack Sizes	1 litre, 2.5 litre, 10 litre
Legal Category	POM-VPS
Dosage Rate	Cattle: 10ml/130kg, Sheep: 0.5ml/10kg



Large Animal Range

NUTRITIONAL

Thrive Extra® Oral



Active	Essential vitamins and trace elements
Species	Sheep & Lambs
Description	A nutritional product containing all common vitamins, amino acids and trace elements to maximise growth, performance and thriftiness in sheep and lambs. Ideal for sheep pre tupping, sheep pre-lambing and lambs from one month old. Can be used in feed, drinking water, milk or as an oral drench.
Meat Withdrawal Period	Not applicable
Milk Withdrawal Period	Not applicable
Pack Sizes	2.5 litre
Legal Category	Nutritional
Dosage Rate	Lambs <8 weeks: 5ml, Lambs/hoggets >8 weeks: 10ml, Breeding rams: 20ml, Ewes: 15-20ml



Thrive Extra® + Copper Oral



Active	Essential vitamins and trace elements
Species	Sheep & Lambs
Description	A nutritional product containing all common vitamins, amino acids and trace elements including copper to maximise growth, performance and thriftiness in sheep and lambs. Thrive is ideal for sheep pre tupping, pre-lambing and lambs from one-month old as an energy source. Can be used in feed, drinking water, milk or as an oral drench. Suitable for all sheep requiring copper supplementation.
Meat Withdrawal Period	Not applicable
Milk Withdrawal Period	Not applicable
Pack Sizes	2.5 litre
Legal Category	Nutritional
Dosage Rate	Lambs <8 weeks: 5ml, Lambs/hoggets >8 weeks: 10ml, Breeding rams: 20ml, Ewes: 15-20ml



Thrive Gold® Oral



Active	Essential vitamins and trace elements
Species	Cattle
Description	A nutritional product containing all common vitamins, amino acids & trace elements Ideal for cows pre-calving, cows pre-service and calves from 1 month old. Maximise growth & thriftiness in cattle. Bioavailable multivitamins and chelated trace elements. Suitable for dry cattle. Concentrated Energy source. Can be used as an oral drench or in feed, drinking water and milk.
Meat Withdrawal Period	Not applicable
Milk Withdrawal Period	Not applicable
Pack Sizes	2.5 litre
Legal Category	Nutritional
Dosage Rate	Calves: 20-30ml, Breeding bulls: 100ml, Beef cows: 100ml, Dairy cows (high-yielding): 120ml (140ml)



Large Animal Range

ANTIBIOTICS

Milbotyl® Injection



Active	Tilmicosin 300 mg/ml, Propylene glycol 250 mg/ml
Species	Cattle & Sheep
Description	For the treatment of pneumonia in cattle and sheep, ovine mastitis and bovine foot rot.
Meat Withdrawal Period	Cattle: 70 days. Sheep: 42 days
Milk Withdrawal Period	Cattle 36 days. Sheep 18 days
Pack Sizes	50 ml
Legal Category	POM-V



Fenoflox® 10% Injection



Active	Enrofloxacin 100 mg/ml
Species	Cattle & Pigs
Description	Treatment of respiratory & alimentary tract infections. Used for the treatment of local signs associated with pre-acute/acute mastitis in dairy cattle.
Meat Withdrawal Period	Cattle Subcutaneous: 12 days Cattle Intravenous: 5 days Pigs Subcutaneous: 13 days
Milk Withdrawal Period	Cattle Subcutaneous: 4 days Cattle Intravenous: 3 days
Pack Sizes	100 ml
Legal Category	POM-V



Fenoflox® 5% Injection



Active	Enrofloxacin 50 mg/ml
Species	Cattle, Pigs, Dogs & Cats
Description	Treatment of respiratory & alimentary tract infections in Cattle and Pigs.
Meat Withdrawal Period	Cattle Intravenous: 5 days Cattle subcutaneous: 12 days Pigs: 13 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	100 ml
Legal Category	POM-V



Large Animal Range

SEDATIVES

Chanazine® 2% Injection



Active	Xylazine 20 mg/ml
Species	Cattle, Horses, Dogs & Cats
Description	Sedative with analgesic and muscle relaxant properties.
Meat Withdrawal Period	Cattle :14 days. Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	25 ml
Legal Category	POM-V



Ketamidor® Injection



Active	Ketamine
Species	Cats, Cattle, Dogs, Horses & Pigs
Description	Ketamine is a dissociative anaesthetic. Its antagonistic action on the NMDA-receptors inhibits the neurotransmitter glutamate. The glutamate coupled acetylcholine release blocks the excitability of the neurons and therefore the transmission of neural impulses.
Meat Withdrawal Period	Zero days
Milk Withdrawal Period	Zero days
Pack Sizes	10 ml, 50ml
Legal Category	POM-V



Medesedan® Injection



Active	Detomidine hydrochloride 10 mg/ml
Species	Cattle & Horses
Description	Medesedan injection is an alpha2-drenoreceptor agonist, sedative, analgesic & is used as a pre-anaesthetic. Licensed for IV and IM use.
Meat Withdrawal Period	Cattle: 2 days. Horses: 2 days
Milk Withdrawal Period	Cattle: 12 hours
Pack Sizes	5 ml, 20 ml
Legal Category	POM-V



Large Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Rheumocam® Injection – 20mg/ml



Active	Meloxicam 20 mg/ml
Species	Cattle, Horses & Pigs
Description	Used in horses for the relief of equine colic, inflammation & pain in both acute and chronic musculoskeletal disorders. Used in cattle for acute respiratory infection & acute mastitis. Used for diarrhoea in combination with oral rehydration therapy in calves of over one week of age & young, non-lactating cattle. Used in pigs to reduce the symptoms of lameness & inflammation in non-infectious locomotor disorders. Treats puerperal septicaemia, toxemia and mastitis-metritis-agalactia syndrome.

Meat Withdrawal Period	Cattle: 15 Days Horses, Pigs: 5 days
-------------------------------	---

Milk Withdrawal Period	Cattle: 5 Days
-------------------------------	----------------

Pack Sizes	100 ml
-------------------	--------

Legal Category	POM-V
-----------------------	-------



Spasium® Injection



Active	Metamizole sodium 500 mg, Hyoscine butylbromide 4 mg
Species	Horses, Cattle, Pigs & Dogs
Description	Spasium is for the treatment of spasms or sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory organs associated with pain.

Meat Withdrawal Period	Horse, Cattle (IV): 12 days Pig (IM): 15 days
-------------------------------	--

Milk Withdrawal Period	Cattle (IV) 4 days
-------------------------------	--------------------

Pack Sizes	100 ml
-------------------	--------

Legal Category	POM-V
-----------------------	-------



Spasmipur® Injection



Active	Hyoscine Butylbromide
Species	Horse, Cattle, Sheep & Pigs
Description	Spasipur is indicated for the treatment of acute spasms of the gastrointestinal tract (colic) and of the urinary tract.

Meat Withdrawal Period	Cattle: 2 days Horses: 3 days Pigs: 9 days Sheep: 18 days
-------------------------------	--

Milk Withdrawal Period	12 hours
-------------------------------	----------

Pack Sizes	50 ml
-------------------	-------

Legal Category	POM-V
-----------------------	-------



EQUINE RANGE



Equine Range

ANTHELMINTICS



Animec® Oral Paste

Active	Ivermectin 18.7 mg/g
Species	Horses
Description	Treats & controls roundworms, bloodworms, pinworms, neck threadworms and bots.
Pack Sizes	Display tray of 20's
Legal Category	POM-VPS



ANAESTHETICS AND SEDATIVES

Butador® Injection



Active	Butorphanol 10 mg/ml
Species	Horse, Dogs & Cats
Description	Sedative, analgesic and pre-anaesthetic for horses, can be combined with xylazine, detomidine and romifidine. Sedative, analgesic and pre-anaesthetic for dogs and cats, can be combined with medetomidine and ketamine.
Pack Sizes	10 ml, 5 x 10 ml
Legal Category	POM-V



Chanazine® 2% Injection



Active	Xylazine 20 mg/ml
Species	Cattle, Horses, Dogs & Cats
Description	Sedative with analgesic and muscle relaxant properties.
Meat Withdrawal Period	Cattle 14 days. Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	25 ml
Legal Category	POM-V



ANAESTHETICS AND SEDATIVES



Chanazine® 10% Injection

Active	Xylazine 100 mg/ml
Species	Horses
Description	Sedative with analgesic and muscle relaxant properties. The product is for use in horses only, in cases where sedation is required.
Pack Sizes	50 ml
Legal Category	POM-V



Iso-Vet® Inhalant



Active	Isoflurane 1000 mg/g Inhalation vapour, liquid
Species	Horses, Dogs, Cats, Small Mammals, Ornamental Birds and Reptiles
Description	Induces and maintain anaesthesia in all types of veterinary surgery.
Pack Sizes	250 ml
Legal Category	POM-V



Ketamidor® Injection



Active	Ketamine
Species	Cats, Cattle, Dogs, Horses & Pigs
Description	Ketamine is a dissociative anaesthetic. Its antagonistic action on the NMDA-receptors inhibits the neurotransmitter glutamate. The glutamate coupled acetylcholine release blocks the excitability of the neurons and therefore the transmission of neural impulses.
Meat Withdrawal Period	Zero days
Milk Withdrawal Period	Zero days
Pack Sizes	10 ml, 50ml
Legal Category	POM-V



Equine Range

ANAESTHETICS AND SEDATIVES

Medesedan® Injection



Active	Detomidine hydrochloride 10 mg/ml
Species	Cattle & Horses
Description	Medesedan injection is an alpha2-drenoreceptor agonist, sedative, analgesic & is used as a pre-anaesthetic. Licensed for IV and IM use.
Meat Withdrawal Period	Cattle: 2 days Horses: 2 days
Milk Withdrawal Period	Cattle: 12 hours
Pack Sizes	5 ml, 20 ml
Legal Category	POM-V



NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Chanazone®



Active	Phenylbutazone
Species	Horses
Description	For the treatment of musculoskeletal conditions in the horse where relief from pain and a reduction in the associated inflammation is required.
Meat Withdrawal Period	Not for use in horses intended for human consumption.
Milk Withdrawal Period	Not for use in horses intended for human consumption.
Pack Sizes	100 x 5g sachet
Legal Category	POM-V



Rheumocam® Oral Suspension – 15mg/ml



Active	Meloxicam 15 mg/ml
Species	Horses
Description	Used for the relief of equine colic & inflammation and pain in both acute and chronic musculo-skeletal disorders.
Meat Withdrawal Period	Horse meat and offal: 3 days
Milk Withdrawal Period	Not authorised for use in lactating animals producing milk for human consumption.
Pack Sizes	100 ml, 250 ml
Legal Category	POM-V



Equine Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Rheumocam® Injection – 20mg/ml



Active	Meloxicam 20 mg/ml
Species	Cattle, Horses & Pigs
Description	Used in horses for the relief of equine colic, inflammation & pain in both acute and chronic musculoskeletal disorders. Used in cattle for acute respiratory infection & acute mastitis. Used for diarrhoea in calves of over one week of age & young, non-lactating cattle. Used in pigs to reduce the symptoms of lameness & inflammation in non-infectious locomotor disorders. Treats puerperal septicaemia, toxæmia and mastitis-metritis-agalactia syndrome.
Meat Withdrawal Period	Cattle: 15 Days Horses, Pigs: 5 days
Milk Withdrawal Period	Cattle: 5 Days
Pack Sizes	50 ml, 100 ml
Legal Category	POM-V



Spasium® Injection



Active	Metamizole sodium 500 mg, Hyoscine butylbromide 4 mg
Species	Horses, Cattle, Pigs & Dogs
Description	Spasium is for the treatment of spasms or sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory organs associated with pain.
Meat Withdrawal Period	Horse, cattle (IV): 12 days Pig (IM): 15 days
Milk Withdrawal Period	Cattle (IV): 4 days
Pack Sizes	100 ml
Legal Category	POM-V




Spasmipur® Injection



Active	Hyoscine Butylbromide
Species	Horse, Cattle, Sheep & Pigs
Description	Spasmipur is indicated for the treatment of acute spasms of the gastrointestinal tract (colic) and of the urinary tract.
Meat Withdrawal Period	Cattle: 2 days Horses: 3 days Pigs: 9 days Sheep: 18 days
Milk Withdrawal Period	12 hours
Pack Sizes	50 ml
Legal Category	POM-V



COMPANION ANIMAL RANGE



Companion Animal Range

ANAESTHETICS AND SEDATIVES

Bupaq® Injection



Active	Buprenorphine 0.3 mg/ml
Species	Dogs & Cats
Description	Bupaq is recommended for pre-and postsurgical analgesia in long lasting interventions with expected moderate to severe pain.
Pack Sizes	10 ml
Legal Category	POM-V



Butador® Injection



Active	Butorphanol 10 mg/ml
Species	Horses, Dogs, & Cats
Description	Sedative, analgesic and pre-anaesthetic for horses, can be combined with xylazine, detomidine and romifidine. Sedative, analgesic and pre-anaesthetic for dogs and cats, can be combined with medetomidine and ketamine.
Pack Sizes	10 ml, 5 x 10 ml
Legal Category	POM-V



Chanazine® 2% Injection



Active	Xylazine 20 mg/ml
Species	Cattle, Horses, Dogs & Cats
Description	Sedative with analgesic and muscle relaxant properties.
Meat Withdrawal Period	Cattle 14 days. Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	25 ml
Legal Category	POM-V



Companion Animal Range

ANAESTHETICS AND SEDATIVES

Insistor® Injection



Active	Methadone Hydrochloride 10 mg
Species	Dogs & Cats
Description	Insistor is indicated for analgesia as a premedicant for general anaesthesia or for neuroleptanalgesia in combination with a neuroleptic drug.
Meat Withdrawal Period	Not applicable
Milk Withdrawal Period	Not applicable
Pack Sizes	10 ml
Legal Category	POM-V



Iso-Vet® Inhalant



Active	Isoflurane 1000 mg/g Inhalation vapour, liquid
Species	Horses, Dogs, Cats, Small Mammals, Ornamental Birds and Reptiles
Description	Induces and maintain anaesthesia in all types of veterinary surgery.
Pack Sizes	250 ml
Legal Category	POM-V



Medetor® Injection



Active	Medetomidine hydrochloride 1 mg/ml
Species	Dogs & Cats
Description	Alpha2-drenoreceptor agonist, it is a sedative, analgesic and is used as a pre-anaesthetic.
Pack Sizes	10 ml
Legal Category	POM-V



Companion Animal Range

ANAESTHETICS AND SEDATIVES

Revertor® Injection



Active	Atipamezole hydrochloride 5 mg/ml
Species	Dogs & Cats
Description	Alpha2-antagonist, it is used for the reversal of the sedative effects of medetomidine (Medetor®) and dexmedetomidine in dogs & cats.
Pack Sizes	10 ml
Legal Category	POM-V



Sevohale® Inhalant



Active	Sevoflurane 100 % v/v inhalation vapour
Species	Dogs & Cats
Description	For the induction and maintenance of anaesthesia. Recovery from sevoflurane anaesthesia is usually smooth and rapid.
Pack Sizes	250 ml
Legal Category	POM-V



ANTI-EPILEPTIC DRUG

Epityl® Tablets



Active	Phenobarbital 60 mg
Species	Dogs
Description	Phenobarbital is an antiepileptic agent for the prevention of seizures due to generalized epilepsy in dogs.
Pack Sizes	500 tabs
Legal Category	POM-V



Companion Animal Range

ANTIBIOTICS

Clinacin® Snap Tabs



Active	Clindamycin
Species	Dogs
Description	Clinacin tablets are indicated in dogs for the treatment of infected wounds, abscesses, superficial pyoderma and oral cavity/dental infections. Clinacin tablets can also be used to help provide antimicrobial cover during dental procedures.
Pack Sizes	25 mg, 300 mg
Legal Category	POM-V



Fenoflox® 5% Injection



Active	Enrofloxacin 50 mg/ml
Species	Cattle, Pigs, Dogs & Cats
Description	Treatment of respiratory & alimentary tract infections in Cattle and Pigs. Treats bacterial infections of the alimentary, respiratory and urogenital tracts, skin, wound infections and otitis externa in dogs & cats.
Meat Withdrawal Period	Cattle Intravenous: 5 days Cattle subcutaneous: 12 days Pigs: 13 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	100 ml
Legal Category	POM-V



ANTI-NAUSEA

Vominil® Injection



Active	Maropitant (as maropitant citrate monohydrate) 10 mg
Species	Dogs and Cats
Description	Dogs; For the treatment and prevention of nausea induced by chemotherapy, for the prevention of vomiting except that induced by motion sickness, for the treatment of vomiting, in combination with other supportive measures, for the prevention of perioperative nausea and vomiting and improvement in recovery from general anaesthesia after use of the μ-opiate receptor agonist morphine. Cats; For the prevention of vomiting and the reduction of nausea, except that induced by motion sickness, for the treatment of vomiting, in combination with other supportive measures.
Pack Sizes	25 ml
Legal Category	POM-V



Companion Animal Range

OSTEOARTHRITIS

Osteopen® Injection



Active	Pentosan Polysulphate Sodium
Species	Dogs
Description	For the treatment of lameness and pain of degenerative joint disease/ osteoarthritis (non-infectious arthrosis) in the skeletally mature dogs.
Strength	100 mg/ml
Pack Sizes	10 ml
Legal Category	POM-V



NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Canidryl® Snap Tabs



Active	Carprofen
Species	Dogs
Description	Canidryl flavoured tablets are used for the reduction of inflammation and pain caused by musculoskeletal disorders and degenerative joint disease and as a follow up to parenteral analgesia in the management of post-operative pain following soft tissue surgery in dogs.
Strength	20 mg, 100 mg
Pack Sizes	100 tabs
Legal Category	POM-V



Rheumocam® Chewable Tablets



Active	Meloxicam
Species	Dogs
Description	Used to alleviate inflammation and pain in both acute and chronic musculo-skeletal disorders and the management of post-operative pain. following soft tissue surgery in dogs.
Strength	1 mg, 2.5 mg
Pack Sizes	100 tabs
Legal Category	POM-V



Companion Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Rheumocam® Injection – 5mg/ml



Active	Meloxicam 5 mg/ml
Species	Dogs & Cats
Description	Dogs: Alleviation of inflammation and pain in both acute and chronic musculo-skeletal disorders. Reduction of post-operative pain and inflammation following orthopaedic and soft tissue surgery. Cats: Reduction of post-operative pain after ovariectomy and minor soft tissue surgery.
Pack Sizes	10 ml
Legal Category	POM-V



Rheumocam® Oral Suspension for Dogs – 1.5mg/ml



Active	Meloxicam 1.5 mg/ml
Species	Dogs
Description	Alleviation of inflammation and pain in both acute and chronic musculo-skeletal disorders.
Pack Sizes	15 ml, 42 ml, 100 ml, 200 ml
Legal Category	POM-V



Rheumocam® Oral Suspension for Cats – 0.5mg/ml



Active	Meloxicam 0.5mg/ml
Species	Cats
Description	Description To relieve the pain and inflammation associated with chronic musculoskeletal conditions and acute injury
Pack Sizes	5ml, 15ml
Legal Category	POM-V



Companion Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Spasmium® Injection



Active	Metamizole sodium 500 mg, Hyoscine butylbromide 4 mg
Species	Horses, Cattle, Pigs, Dogs
Description	Spasmium is for the treatment of spasms or sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory organs associated with pain.
Meat Withdrawal Period	Horse, cattle (IV): 12 days Pig (IM): 15 days
Milk Withdrawal Period	Cattle (IV): 4 days
Pack Sizes	100 ml
Legal Category	POM-V



ECTOPARASITICIDES & ANTHELMINTICS

Fipnil® Plus Spot On



Active	Fipronil (S)-methoprene
Species	Dogs & Cats
Description	Easy to use spot on solution that kills fleas, ticks, biting lice and stops the development of flea eggs, larvae and pupae within the home.
Strength	Small Dog, Medium Dog, Large Dog, Extra Large Dog & Cat
Pack Sizes	10 x 3's
Legal Category	AVM-GSL



Imidaflea® Spot On



Active	Imidacloprid
Species	Dogs, Cats & Rabbits
Description	Easy to use spot on solution that kills fleas, flea larvae/pupae and biting lice. It will prevent fleas for up to four weeks for cats and dogs and one week for rabbits. Protects your home against infestations by stopping development of flea larvae.
Strength	Small Cat, Dog & Rabbit, Medium Dog, Large Dog, Extra Large Dog & Large Cat & Rabbit
Pack Sizes	10 x 3's
Legal Category	AVM-GSL



Companion Animal Range

ECTOPARASITICIDES & ANTHELMINTICS

Prazitel® Cat Tablets



Active	Praziquantel 20mg, Pyrantel Embonate 230mg
Species	Cats
Description	Grilled meat flavour tablet that treats roundworm and tapeworm infections in cats.
Pack Sizes	24's, 104's
Legal Category	NFA-VPS



Prazitel® Plus Tablets



Active	Praziquantel 50mg, Pyrantel Embonate 144mg, Febantel 150mg
Species	Dogs
Description	Pork flavour tablet that treats roundworm, hookworm, whipworm, and tapeworm infections in dogs.
Pack Sizes	24's, 104's
Legal Category	NFA-VPS



Prazitel® Plus XL Tablets



Active	Praziquantel 175mg, Pyrantel Embonate 504mg, Febantel 525mg
Species	Dogs
Description	Pork flavour tablet that treats roundworm, hookworm, whipworm, and tapeworm infections in dogs.
Pack Sizes	10's, 50's
Legal Category	NFA-VPS



Companion Animal Range

ECTOPARASITICIDES & ANTHELMINTICS

Ridaworm® Cat Tablets



Active	Praziquantel 20mg, Pyrantel Embonate 230mg
Species	Cats
Description	Grilled meat flavour tablet that treats roundworm and tapeworm infections in cats.
Pack Sizes	2's
Legal Category	AVM-GSL



Ridaworm® Plus Tablets



Active	Praziquantel 50mg, Pyrantel Embonate 144mg, Febantel 150mg
Species	Dogs
Description	Pork flavour tablet that treats roundworm, hookworm, whipworm, and tapeworm infections in dogs.
Pack Sizes	2's
Legal Category	AVM-GSL



Ridaworm® Plus XL Tablets



Active	Praziquantel 175mg, Pyrantel Embonate 504mg, Febantel 525mg
Species	Dogs
Description	Pork flavour tablet that treats roundworm, hookworm, whipworm, and tapeworm infections in dogs.
Pack Sizes	2's
Legal Category	AVM-GSL



EQUIPMENT

Equipment

DOSING

Chanelle Dosing Gun 10 ml

Species	Size	Product Code
Cattle & Sheep	10 ml	XX1720

Description

Ultra-durable drenching gun. Smooth-curved tube with rounded endpiece for optimal animal welfare. Comfort-grip handle for ease of use.



Dycoxon Dosing Gun

Species	Size	Product Code
Cattle/Lambs	10 ml	XX3790
Cattle/Lambs	30 ml	XX3791

Description

Ultra-durable drenching gun. Smooth-curved tube with rounded endpiece for optimal animal welfare. Comfort-grip handle for ease of use. Complements Dycoxon and available in calf and lamb sizes.



Moxodex Dosing Gun 10 ml

Species	Size	Product Code
Sheep	10 ml	XX3231

Description

Ultra-durable drenching gun. Smooth-curved tube with rounded endpiece for optimal animal welfare. Comfort-grip handle for ease of use. Complements Moxodex.



POUR ON GUN

Pour on Gun 40 ml

Species	Size	Product Code
Cattle	40 ml	XX1616

Description

Durable, hard plastic pour on gun. Automatically refills resulting in reduced labour.



DRENCHERS

Hookmatic 80 ml Drencher

Species	Size	Product Code
Cattle	80 ml	XX1700

Description

Reinforced steel hook design for easy use with large cattle. High volume delivery system. Comfort grip incorporated into design of both hook and gun hand pieces. Chemical resistant tubing.



Chanelle Auto Injector

Species	Size	Product Code
Cattle/Sheep	10 ml	XX1699

Description

Adjustable volume, durable design. Automatically refills, saving time and labour. Can be used in both cattle and sheep. Comfort grip handle.



***Our Mission is to provide
affordable medicines that extend
and improve the lives of people
and animals.***

E-mail: ukenquiries@chanellegroup.ie
Web: www.chanellepharma.com

Prescription decisions are for the person issuing the prescription alone

